
OY.MEDI | Better Health Better Life | PRODUCTION



OV.M Bio Medical & Life
OVMED1



CONTENTS

Introduction
Introduction

Products

OMEGA V	06
DESIGN CELL	14
CF-LINE	16

INTRODUCTION

OVMEDI aims to develop innovative medical products that can make a real difference in the field of biomedical care. We discover and develop breakthrough therapies and find new ways to help many people.

In addition, we are researching and developing new ways to enhance and expand the lives of people with our cutting-edge science-based innovations to solve the most difficult health care problems in society today.



Head Office

To diversify our business, we have expanded the business activities of the Pangyo Plant to show present more quality products to a larger number of customore.



Factory

The manufactory located in Gasan-dong manufactures high-quality products using our own cutting-edge technology and automation equipment.



Major Certifications & Patents



PRODUCTS

OMEGA V DESIGN CELL CF-LINE

OMEGA V COG



OVL is OMEGA-V's representative lifting thread. It is mainly used for face lifting but can be used for various body parts such as the arms and abdomen.



No.	MODEL NAME	Needle	Thread	Remark		
	OVL-B1975-2	19G 75mm	USP 0, 130mm			
01						
	<	> < 70mm	→			
	OVL-101419-2	19G 100mm	USP 0, 150mm			
02						
	40mm	50mm	60mm			
	OVL-B1910-2	19G 100mm	USP 0, 150mm			
03		٠				
		·/////////////////////////////////////				
	40mm	50mm	60mm			
	OVL-D1910-2	19G 100mm	USP 0, 150mm			
04						
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·····				
	90r	nm	60mm →			



No.	MODEL NAME	Needle	Thread	Remark		
	OVL-K1910-2	19G 100mm	USP 0, 152mm			
05			•			
	~~~~~					
	l <del>≺</del> 42mm	•l<	→l 60mm			
	OVL-HA1910-2	19G 100mm	USP 0, 152mm			
06						
	l <b>≺</b> 9.	>  <b>&lt;</b>	<b>6</b> 0mm			
	OVL-EA2360-2	23G 60mm	USP 4-0, 110mm			
07						
	<del>                                      </del>	<b>→</b>  <	<b>──</b>			
		Omm 50mm				
	OVL-EA2660-2	26G 60mm	USP 5-0, 110mm			
08				1		
	<del>&lt; &gt; &lt; &gt; </del>	<b>→</b>  <	<b>──</b>			
	10mm 20mm 3	0mm 50mm				


## OMEGA V COG

No.	MODEL NAME	Needle	Thread	Remark		
	OVL-N2360A-2	23G 60mm	USP 3-0, 120mm			
09						
	20mm 20mm	30mm 50r	—————————————————————————————————————			
	OVL-N2390A-2	23G 90mm	USP 3-0, 150mm			
10			9			
		· · · · · · · · · · · · · · · · · · ·	,			
	<del>&lt; &gt; &lt; &gt; &lt; &gt; &lt; &gt; </del>	<del>&gt;</del>				
	OVL-FD1935B	19G 38mm	USP 2, 50mm	Specialized for nose		
11		=	* Needle for	punching provided		
	<del>&lt; &gt; &lt; &gt; &lt; &gt; </del> 22.5mm 5mm 22.5mm					
	OVL-FD1950B	19G 50mm	USP 2, 70mm	Specialized for nose		
12			* Needle for	punching provided		
	l <del>&lt;                                    </del>	32.5mm				
	OVL-P2660A	26G 60mm	USP 5-0, 220mm	Cog screw		
13						
	<del>&lt;                                    </del>	>  <b>&lt;</b> >  <b>&lt;</b>   >  <b>&lt;</b>   <  <  <  <  <  <  <  <  <  <  <  <  <	>  <b>&lt;</b> 55mm	<b>→</b>		

No.	MODEL NAME	Needle	Thread	Remark
	OVL-L-N19100	19G 100mm	USP 0, 165mm	L-type cannula
14				<b>7</b> 1
_	<b>∢ &gt; </b> < 15mm 40mm	>  <b>∢</b>	<b>←</b> 60mm	<b>→</b> I
	OVL-L-N19120	19G 120mm	USP 0, 185mm	L-type cannula
15				<b>=</b> 2-
	l <b>≺→l</b> ≺ 15mm 40mm		<b>→</b>   <b>←</b> 60mm	<b>──</b>
	OVL-L-A119100	19G 100mm	USP 0, 165mm	L-type cannula
16				
	l <del>&lt; &gt; &lt;</del> 15mm	90mm	60mm	<b>—</b> →I
	OVL-L-FD1938	19G 38mm	USP 2, 50mm	L-type cannula, Specialized for nose
17		<b>3.</b>	* Needle for	punching provided
	<del>&lt; &gt; &lt; &gt; &lt; &gt; &lt;  &lt;  </del> 22.5mm 5mm 22	2.5mm		
-	OVL-L-FD1960	19G 60mm	USP 2,80mm	L-type cannula, Specialized for nose
18			* Needle for	punching provided
	<del>&lt; &gt; </del> →  <del>&lt; &gt;</del> 32.5mm 5mm	32.5mm		

66 _{OVS} ??

OVS is a thread without a needle in OVL, and the size of the thread is same as OVL.



No.	MODEL NAME	Needle	Thread	Remark
	OVS-FB1910	-	USP 0, 410mm	
19				-
	30mm <b></b>	150mm	<b>V</b> 40mm	- - -
	OVS-B1910-2	-	USP 0, 150mm	
20				
20				
20	40mm	50mm	60mm	
20	40mm OVS-D1910-2	50mm	►  <b>&lt;</b> 60mm USP 0, 150mm	<b>—</b> →I
21		50mm		
		50mm -		

#### **PRODUCTS**

#### OMEGA V MONO



OVLM is a cog-free normal imbedding that is effective for whitening and enhancing skin elasticity.

No.	MODEL NAME	Needle	Thread	Remark			
	OVLM2638	26G 38mm	USP 5-0, 54mm				
22							
	OVLM2660	26G 60mm	USP 5-0, 90mm				
23							
	OVLM2690	USP 5-0, 155mm					
24							
	OVLM2760	27G 60mm	USP 5-0, 90mm				
25							
	OVLM2925	29G 25mm	USP 6-0, 30mm				
26							

#### OMEGA V **MONO**

No.	MODEL NAME	Needle	Thread	Remark		
	OVLM2938	29G 38mm	USP 6-0, 54mm			
27						
	OVLM3025	30G 25mm	USP 6-0, 30mm			
28						
	OVLM3038	30G 38mm	USP 6-0, 54mm			
29						
	OVLMS2938A	29G 38mm	USP 6-0, 54mm	Mono screw		
30						
	OVLMS2660A	26G 60mm	USP 5-0, 90mm	Mono screw		
31						

#### **OMEGA-V** Total Products

No.	Model Name	Figure	Needle	Thread	Remark
01	OVL-B1975-2	<b>≺</b>	19G75mm	USP 0, 130mm	
02	OVL-101419-2		19G100mm	USP 0, 150mm	
03	OVL-B1910-2	< → < → < →  →  →  →  →  →  →  →  →  →  →  →  →	19G100mm	USP 0, 150mm	
04	OVL-D1910-2	90mm 60mm	19G100mm	USP 0, 150mm	
05	OVL-K1910-2	42mm 50mm 60mm	19G100mm	USP 0, 152mm	
06	OVL-HA1910-2	92mm 60mm	19G100mm	USP 0, 152mm	
07	OVL-EA2360-2	<del>&lt; &gt;</del>  < <del>&gt;</del>  < <del>&gt;</del>  < <del>&gt;</del>  <	23G60mm	USP 4-0, 110mm	
08	OVL-EA2660-2	<del>&lt; &gt; &lt; &gt; &lt; &gt; &lt; &gt; &lt; &gt;  → &lt; &gt; &lt;  &lt; &gt; &lt;  &lt; &gt; &lt;  &lt; &gt;  &lt;  </del>	26G60mm	USP 5-0, 110mm	
09	OVL-N2360A-2	20mm 20mm 30mm 50mm	23G60mm	USP 3-0, 120mm	
10	OVL-N2390A-2	<del>                                     </del>	23G90mm	USP 3-0, 150mm	
11	OVL-FD1935B	<b>≺</b>   <b>√</b>   <b>√</b>   <b>√</b>   <b>√</b>   <b>√</b>	19G38mm	USP 2, 50mm	Specialized for nose
12	OVL-FD1950B	<b>&lt;</b>   <b>.</b>   <b>&lt;</b>   <b>.</b>   <b>.</b>	19G50mm	USP 2, 70mm	Specialized for nose
13	OVL-P2660A	<del>                                    </del>	26G60mm	USP 5-0, 220mm	Cog screw
14	OVL-L-N19100	<del>&lt; &gt; &lt;  </del>	19G100mm	USP 0, 165mm	L-type cannula
15	OVL-L-N19120	<-> <-> <-> <-> <-> <-> <-> <-> <-> <->	19G120mm	USP 0, 185mm	L-type cannula
16	OVL-L-A119100	<del>&lt;-&gt; &lt;-&gt; </del> 15mm 90mm 60mm	19G100mm	USP 0, 165mm	L-type cannula
17	OVL-L-FD1938	<del>&lt; &gt; &lt; &gt; &lt; &gt; </del>	19G38mm	USP 2, 50mm	L-type cannula, Specialized for nose
18	OVL-L-FD1960	<b>≺</b> 37.5mm	19G60mm	USP 2, 80mm	L-type cannula, Specialized for nose
19	OVS-FB1910	30mm	-	USP 0, 410mm	
20	OVS-B1910-2	<del>                                     </del>	-	USP 0, 150mm	
21	OVS-D1910-2	<del>\</del>   90mm	-	USP 0, 150mm	
22	OVLM2638	<u> </u>	26G38mm	USP 5-0, 54mm	
23	OVLM2660	<u> </u>	26G60mm	USP 5-0, 90mm	
24	OVLM2690		26G90mm	USP 5-0, 155mm	
25	OVLM2760		27G60mm	USP 5-0, 90mm	
26	OVLM2925		29G25mm	USP 6-0, 30mm	
27	OVLM2938		29G38mm	USP 6-0, 54mm	
28	OVLM3025		30G25mm	USP 6-0, 30mm	
29	OVLM3038		30G38mm	USP 6-0, 54mm	
30	OVLMS2938A		29G38mm	USP 6-0, 54mm	Mono screw
31	OVLMS2660A	<u> </u>	26G60mm	USP 5-0, 90mm	Mono screw

ראסטסכו

13

#### **DESIGN CELL**

Design Ce



# LESIGH/

#### Mysterious Secret, PDRN

For basic makeup, the most important thing is the skin.

The first step to gaining clear and vibrant skin starts with Design Cell.

The secret to creating beauty yourself is to utilize the power of the natural beauty of your skin. It comes from the high concentration of PDRN extracted from salmon from clean nature.

01 PDRN

From the DNA of salmon germ cells This ingredient is extracted and purified from tissue regeneration material (PN). 02 High purity High content

Compared to existing third party products Complete your radiant skin design with our high-purity, high-content products. 03
High quality
Manufacturing
process

Our high-quality products are created using manufacturing processes that are in accordance with the drug approval level.

#### **PDRN**

This is a stable ingredient approved by the Korea Ministry of Food and Drug Safety (KFDA), and it is used for skin regeneration such as bedsores, scars and skin grafts because it has excellent effects on anti-inflammatory wound healing.





# It's no longer just makeup but design.

Take control over your skin design.

Design Cell is the foundation of all makeup.

Product Name	Design Cell					
Classification	Cosmetics Effects Moisturizer Packing unit 5ml x 5					
Ingredients and Content	Purified water, sodium chlorid	e, sodium DN	NA, sodium phosphate			
How to Use	After cleansing, apply an even amount on the site of application.					
Precautions	Continuing to use the produ 1) If you have any side effect 2) If the site of application d 2. Do not use on the site of wo 3. If the products gets in your 4. Precautions for Storage and 1) Close the cap after use. 2) Keep out of reach of child	uct may wors is such as red evelops any o unds, eczem eyes, rinse w Handling ren.	onormalities when using cosmetics, en symptoms, so please stop use a l spots, swelling, itching and irritation of the above problems when exposa or dermatitis.  It has been away from the problems when exposa or dermatitis.	nd consult won during us	vith a dermatoloģist. e sunlight	

# **CF LINE**

CS Line Intensive Solution



3) Do not store in places with high or low temperatures and keep away from direct sunlight.



OV MEDI Co., Ltd.

WEB. www.ovmedi.com E-mail. ovmedi@ovmedi.com

Head Office S-707, 231, Pangyoyeok-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, 13494, Korea

**TEL.** +82-31-781-5758 **FAX.** +82-31-789-3517

Factory 2F, 117, Gongdan-ro, Gunpo-si, Gyeonggi-do, 15847, Korea

TEL. +82-2-838-0561 FAX. +82-2-838-0569